


# **ROLINE USB 3.2 Gen 2 Typ C Multiport Docking Station, 4K HDMI, 1x USB 3.0 Type A, 1x USB 2.0 Type A, 1x USB 2.0 Type C, 1x SD/Micro SD, 1x USB Type C PD (Power Delivery)**

<b>Product No.</b>	12.02.1122
<b>Manufacturer</b>	ROLINE
<b>Manufacturer No.</b>	12.02.1122
<b>EAN (single piece)</b>	7630049628441

**roline**  
Designed for Professionals



**The USB Type C Docking Station provides your MacBook, Ultrabook, Notebook or Laptop with 1x 4K HDMI, 1x USB 3.0 Type A, 1x USB 2.0 Type A, 1x USB 2.0 Type C, 1x SD/Micro SD, 1x USB Type C PD (Power Delivery).**

- Plug & Play
- Aluminium housing in space grey
- Multiport Docking Station with HDMI connection, allows the expansion of a display or mirroring to another monitor, television or beamer.
- Max. Resolution: 3840x2160 at 60Hz
- Compact and flat design.
- System requirements: Windows 7/8/10 or MacOS X10.2 and higher

Connection to the mobile device:

- 1x USB Type C connector

Connections for peripheral devices:

- 1x HDMI 4K/@60Hz video output: Mirror or expand your screen to a TV, monitor or projector.
- 1x USB 3.0 / 3.2 Gen 1 type A port (data transfer rate up to 5Gbit/s), for connecting a keyboard, mouse, HDD, SSD, etc.
- 1x USB 2.0 type A

- 1x USB 2.0 type C
- 1x SD/MicroSD card reader
- 1x USB Type C PD (Power Delivery, max. 60W)

**Remark: Support of "Alternate Mode (DP Alt Mode)" required**

Note: According to the current specifications of USB.org we have adapted the technical data of our USB 3 products. The new designation for the already known USB specifications has been changed to USB 3.2 Gen 1 (formerly USB 3.0 / USB 3.1 Gen 1) and USB 3.2 Gen 2 (formerly USB 3.1 / USB 3.1 Gen 2).

Technical specifications	
Manufacturer	ROLINE
Product group	Adapters, Terminators, Converters
Product type	Notebook-Docking-Station
Colour	grey
Length	0.15 m
Scope of delivery	Docking Station
Max. resolution	3840 x 2160 @60Hz (4K, UHD-1)
Side 1 connection (PC)	USB Type C
Side 2 connection (Peripherals)	2x USB 3.2 Gen 1 socket, 1x HDMI socket, 1x Gigabit Ethernet socket, 1x Card Reader, 1x PD
Side 1 Connector Type	USB Type C (USB-C)
Side 1 Connector Gender	Male
Side 2 Connector Type	USB 3 Type A USB 2.0 Type A USB Type C (USB-C) USB Type C PD (Power Delivery) HDMI Type A SD-Card-Slot MicroSD-Card-Slot
Side 2 Connector Gender	Female
Material	Aluminum
Height	10 mm

Width	28 mm
Depth	128 mm
Weight	45 g
Height of packaging (single piece)	10 mm
Width of packaging (single piece)	30 mm
Depth of packaging (single piece)	120 mm
Package weight (single piece)	0.08 kg