# ROLINE USB 3.2 Gen 2 Type C Multiport Docking Station, 8K30 HDMI, 3x USB 3.2 Gen 2(2x A + 1x C), 1x USB Type C PD (Power Delivery), 1x Gigabit Ethernet (2.5 GbE)

Product No.	12.02.1124	
Manufacturer	ROLINE	
Manufacturer No.	12.02.1124	
EAN (single piece)	7630049628465	

The USB Type C Docking Station provides your MacBook, Ultrabook, Notebook or Laptop with a 8K30 capable HDMI port, 3x USB 3.2 Gen 2 (2x A + 1x C), 1x USB Type C PD (Power Delivery) and 1x 2.5 Gigabit Ethernet!

• Plug & Play
• Aluminium housing in space grey
• Multiport Docking Station with HDMI connection, allows the expansion of a display or mirroring to another monitor, television or beamer.
• Max. Resolution: 7680x4320@30Hz
• Compact and flat design.

• System requirements: Windows 7/8/10 or MacOS X10.2 and higher

Connection to the mobile device:
• 1x USB Type C connector

Connections for peripheral devices:
• 1x HDMI 8K video output: Mirror or expand your screen to a TV, monitor or projector.
• 3x USB 3.2 Gen 2 Type (2x A +1x C) ports (data transfer rate up to 10Gbit/s), for connecting e.g. keyboard/mouse, USB HDD/SSD, etc.
• 1x USB Type C PD (Power Delivery, max. 60W)

- 1x RJ45 for 2.5 Gigabit Ethernet

Remark: Support of "Alternate Mode (DP Alt Mode)" required

Note: According to the current specifications of USB.org we have adapted the technical data of our USB 3 products. The new designation for the already known USB specifications has been changed to USB 3.2 Gen 1 (formerly USB 3.0 / USB 3.1 Gen 1) and USB 3.2 Gen 2 (formerly USB 3.1 / USB 3.1 Gen 2).

Technical specifications	
Manufacturer	ROLINE
Product group	Adapters, Terminators, Converters
Product type	Notebook-Docking-Station
Colour	grey
Length	0.15 m
Scope of delivery	Docking Station
Side 1 connection (PC)	USB Type C
Side 2 connection (Peripherals)	3x USB 3.2 Gen 2 F (2x A + 1x C), 1x HDMI socket, 1x 2.5 Gigabit Ethernet socket, 1x PD
Side 1 Connector Type	USB Type C (USB-C)
Side 1 Connector Gender	Male
Side 2 Connector Type	HDMI Type A RJ-45 USB Type C (USB-C) USB 3 Type A USB Type C PD (Power Delivery)
Side 2 Connector Gender	Female
Material	Aluminum
Height	18 mm
Width	30 mm
Depth	141 mm
Weight	96 g

Height of packaging (single piece)	20 mm
Width of packaging (single piece)	20 mm
Depth of packaging (single piece)	160 mm
Package weight (single piece)	0.05 kg