

ROLINE FO Jumper Cable Duplex, 9/125µm, OS2, LSH/LSH, APC Polish, LSOH, yellow, 0.5 m

| | |
|--------------------|---------------|
| Product No. | 21.15.9500 |
| Manufacturer | ROLINE |
| Manufacturer No. | 21.15.9500 |
| EAN (single piece) | 7611990154999 |



LSOH

High-quality fibre optic cable with the high protective, secured LSH connection on both sides - both connections are APC polished.

- Duplex cable with fiber type 9/125µm OS2
- Cable material: sheath halogen-free and flame-retardant, yellow, solid core with aramid strain relief
- LSH connectors: precision-manufactured connectors with low return loss, APC ground joint, ceramic ferrule
- The LSH connector has a spring-loaded shutter, which fully protects the ferrule from dust and scratches
- APC Polish (8° - APC - Angled Physical Contact - allows tighter connection and smaller end-face radii)
- IL < 0.25dB, RL > 60dB
- IL (typical) < 0.12dB
- Cable OD (outer diameter): 3.0 x 6.0mm

| Technical specifications | |
|--------------------------|-------------------|
| Manufacturer | ROLINE |
| Product group | Fibre optic cable |

| | |
|---|-------------------------------|
| Product type | Fibre Optic Jumper Cables OS2 |
| Colour | yellow |
| Length | 0.5 m |
| Quantity of fibre | 2 |
| Cable type | Duplex Cable |
| External cable | no |
| Fibre section | Single mode 9/125µm OS2 |
| Connection ports | LSH / LSH |
| Side 1 Connector Type | LSH |
| Side 2 Connector Type | LSH |
| Min. Bending radius, static | 30 mm |
| Min. Bending radius, dynamic | 60 mm |
| Aramid strain relief | yes |
| Cable LSOH | yes |
| Flame retardant according to IEC 60332- 1-2 | yes |
| Low smoke according to IEC 61034-2 | yes |
| Halogen free according to IEC 60754-2 | yes |
| Max. insertion loss | 0.2 dB |
| Min. return loss | 60 dB |
| Weight | 23 g |
| Height of packaging (single piece) | 10 mm |
| Width of packaging (single piece) | 200 mm |
| Depth of packaging (single piece) | 200 mm |

| | |
|-------------------------------|----------|
| Package weight (single piece) | 0.045 kg |
|-------------------------------|----------|