

# ROLINE 19-inch wall-mounted housing Basic 5 U, short grey

|                    |               |
|--------------------|---------------|
| Product No.        | 26.21.0015    |
| Manufacturer       | ROLINE        |
| Manufacturer No.   | 26.21.0015    |
| EAN (single piece) | 7630049600164 |



## ROLINE 19 inch wall-mounted housing Basic 5 U short grey

The wall-mounted enclosures in the ROLINE Basic series are perfect for housing active and passive components. They stand out from many other enclosures thanks to their simple and, above all, time-saving installation. Thanks to their modern design, they blend harmoniously into any office or home. The enclosure offers two separate mounting options: At the front is a rotatable vertical 3U rail, which can alternatively be positioned horizontally or at an angle. At the rear is a fixed horizontal 2U rail, which is suitable for passive network components, for example. The punched mounting holes in the entire lower housing area also allow the installation of non 19" components such as switches and routers. Alternatively, a mounting plate can be attached for this purpose.

| Technical specifications |  |
|--------------------------|--|
| Manufacturer             | ROLINE   |
| Product group            | 19"- / 10" technology  |
| Product type             | 19"-wall housing   |
| Colour                   | grey   |
| Scope of delivery        | 19-inch wall-mounted housing Basic 5 U, 2x spanners, installation instructions |
| Type of profile rail     | L-shaped   |
| Modular spacing          | 482.6 mm (19 inch)   |

|                            |                      |
|----------------------------|----------------------|
| Model                      | With permanent frame |
| Height units               | 5 U                  |
| delivery condition         | fully assembled      |
| Material group             | Steel                |
| Material front door        | Glass                |
| Wall mountable             | yes                  |
| Demountable                | yes                  |
| Adjustable feets           | no                   |
| Maximum weight capacity    | 30 kg                |
| Protection class (IP Code) | IP20                 |
| Soundproof                 | no                   |
| Number of doors            | 1                    |
| With front door            | yes                  |
| With backside door         | no                   |
| With glazed door           | yes                  |
| Front                      | Glass door           |
| Rack rails                 | yes                  |
| Side panels included       | no                   |
| Removeable side panels     | no                   |
| Removable front door       | no                   |
| Removable back door        | no                   |
| Ventilation                | Passive              |
| RAL colour                 | RAL 7035 Light grey  |
| Height                     | 475 mm               |
| Width                      | 500 mm               |
| Depth                      | 475 mm               |
| Weight                     | 8.5 kg               |

|                                       |         |
|---------------------------------------|---------|
| Height of packaging<br>(single piece) | 160 mm  |
| Width of packaging<br>(single piece)  | 500 mm  |
| Depth of packaging<br>(single piece)  | 520 mm  |
| Package weight (single<br>piece)      | 10.5 kg |