

# ROLINE 19-inch wall-mounted housing Pro 7 U, 600x600 WxD black

|                    |               |
|--------------------|---------------|
| Product No.        | 26.21.0171    |
| Manufacturer       | ROLINE        |
| Manufacturer No.   | 26.21.0171    |
| EAN (single piece) | 7630049601741 |



## ROLINE 19 inch wall-mounted housing Pro 7 U 600x600 WxD black

The wall-mounted enclosures in the ROLINE Pro series have been specially designed for flexible network cabling. Each enclosure has a slide-on cable inlet in the roof with a foam rubber seal. The rear panel and the base plate are equipped with punched cable inlets and plastic covers. The roof chassis has a punched-out area to accommodate a fan module. Inside, two pairs of galvanised profile rails with height units of 483 mm (19") are installed, which are also adjustable in depth. The robust steel constructions of the cabinets are made of up to 1.5 mm thick sheet steel and are available powder-coated in grey (RAL 7035) or black (RAL 9005). The side panels and front door are modular, lockable and removable, which improves accessibility. Wall mounting is carried out in two simple steps: Firstly, the rear panel is screwed to the wall and then connected to the housing. Optional levelling feet or castors can be used to make the enclosures free-standing.

| Technical specifications |                       |
|--------------------------|-----------------------|
| Manufacturer             | ROLINE                |
| Product group            | 19"- / 10" technology |
| Product type             | 19"-wall housing      |
| Colour                   | black                 |

|                              |   |
|------------------------------|---|
| Scope of delivery            | 19-inch wall-mounted housing Pro 7 U, earthing cable set, installation set (screws, cage nuts, washers), 2x spanners, assembly instructions |
| Type of profile rail         | L-shaped  |
| Modular spacing              | 482.6 mm (19 inch)  |
| Model                        | With permanent frame  |
| Height units                 | 7 U   |
| Minimum rack depth supported | 320 mm  |
| Maximum rack depth supported | 450 mm  |
| delivery condition           | fully assembled   |
| Material group               | Steel   |
| Material front door          | Glass   |
| Wall mountable               | yes   |
| Demountable                  | yes   |
| Adjustable feets             | no  |
| Maximum weight capacity      | 100 kg  |
| Protection class (IP Code)   | IP20  |
| Soundproof                   | no  |
| Number of doors              | 1   |
| With front door              | yes   |
| With backside door           | no  |
| With glazed door             | yes   |
| Front                        | Glass door  |
| Rack rails                   | yes   |
| Side panels included         | yes   |
| Removeable side panels       | yes   |
| Removable front door         | yes   |

|                                       |                    |
|---------------------------------------|--------------------|
| Removable back door                   | no                 |
| Ventilation                           | Passive            |
| RAL colour                            | RAL 9005 Jet black |
| Height                                | 418 mm             |
| Width                                 | 600 mm             |
| Depth                                 | 600 mm             |
| Weight                                | 18 kg              |
| Height of packaging<br>(single piece) | 418 mm             |
| Width of packaging<br>(single piece)  | 600 mm             |
| Depth of packaging<br>(single piece)  | 600 mm             |
| Package weight (single<br>piece)      | 21 kg              |