## ROLINE 19" Wall Cabinet Basic Plus 4U, 600x600 BxT black

**Product No.** 26.21.0288

Designed for Profe

Manufacturer ROLINE

Manufacturer No. 26.21.0288

**EAN (single piece)** 7630049602915







## ROLINE 19 inch wall-mounted housing Basic Plus with 600 mm depth

The wall-mounted enclosures in the ROLINE Basic Plus series have been specially designed for flexible network cabling. This series represents an ideal balance between the ROLINE PRO and ROLINE Basic series. The base plate and the roof are equipped with a punched cable inlet. In addition, a punched-out area in the roof makes it possible to accommodate a fan module. Inside, a pair of galvanised profile rails with height units of 483 mm (19") are installed, which are also adjustable in depth. The robust steel constructions of the cabinets are made of strong sheet steel and are available powder-coated in grey (RAL 7035) or black (RAL 9005). The side panels are fitted with a quick-release fastener and are removable, which improves accessibility. An optional lock can also be installed in the side panels. Wall mounting is carried out in two simple steps: Firstly, the rear panel is screwed to the wall and then connected to the housing. Optional levelling feet or castors can be used to make the cabinets free-standing.

- Load capacity: 80 kg
- Front door made of tempered glass, lockable
- Side panels are fitted with a quick-release mechanism and are removable
- · Roof with cut-out for fan modules
- Cable feed possible on roof and base
- Ventilation slots for passive ventilation and air extraction
- Incl. mounting material
- IP protection class: IP20
- Delivery: assembled

Technical specifications	
Manufacturer	ROLINE
Product group	19"- / 10" technology
Product type	19"-wall housing
Colour	black
Scope of delivery	ROLINE 19 inch Wall Cabinet Basic Plus, earthing cable set, 2x spanners, assembly instructions
Type of profile rail	L-shaped
Modular spacing	482.6 mm (19 inch)
Model	With permanent frame
Height units	4 U
Minimum rack depth supported	320 mm
Maximum rack depth supported	450 mm
Delivery condition	fully assembled
Demountable	yes
Material group	Steel
Material front door	Glass
Wall mountable	yes
Adjustable feets	no
Maximum weight capacity	80 kg
Protection class (IP Code)	IP20
Soundproof	no
Number of doors	1
With front door	yes
With backside door	no
With glazed door	yes
Front	Glass door

Rack rails	yes
Side panels included	yes
Removeable side panels	yes
Removable front door	yes
Removable back door	no
Ventilation	Passive
RAL colour	RAL 9005 Jet black
Height	290 mm
Width	600 mm
Depth	600 mm
Weight	12.25 kg
Height of packaging (single piece)	310 mm
Width of packaging (single piece)	935 mm
Depth of packaging (single piece)	630 mm
Package weight (single piece)	13.75 kg