


# VALUE Type C Video Extension Cable, USB-C (DP Alt Mode), C-C, M/F, black, 1.5 m

<b>Product No.</b>	11.99.5496
<b>Manufacturer</b>	VALUE
<b>Manufacturer No.</b>	11.99.5496
<b>EAN (single piece)</b>	7630049635760



**4K**

**VALUE SUB Type-C Video Extension Cable (DP Alt Mode) for screen transmissions in excellent quality with resolutions of up to 3840x2160 / 4096x2560 @60Hz!**

- Extension Cable for video transmission between sources and display devices that support USB-C Alternate Mode
- Alternate Mode (DisplayPort Alt Mode) is part of the USB Type-C interface specification and allows the transmission of DisplayPort signals (see below)
- Since the Type-C connector requires less space, it is often found on mobile devices (ultrabooks, notebooks/laptops) and anywhere where multiple connectors need to be combined in a small space, such as on a graphics card
- For screen transmissions in excellent quality with resolutions of up to 3840x2160 / 4096x2560 @60Hz!

**Please note: This cable is not recommended for USB data transfer or as a charging cable.**

What is a USB-C DisplayPort (DP Alt Mode) cable?

- Cables with Type-C connector can offer DisplayPort technology via an alternative mode (Alt mode).
- Alt Mode allows USB-C ports to transfer data/video via multiple interfaces, including

- DisplayPort video interface
- The USB-C ports capable of transferring DisplayPort signals are called USB-C DisplayPort or DP Alt Mode
  - Allow to connect video sources (e.g. PCs, Blu-Ray players, etc.) and display devices (e.g. TVs, projectors, etc.) that support DisplayPort to each other via their USB-C ports
  - The main confusion over USB-C DisplayPort cables emerges because not all USB-C ports, available on the hardware (e.g. notebooks...) features the DisplayPort Alt Mode functionality

**Remark: Support of "Alternate Mode (DP Alt Mode)" required**

Technical specifications	
Manufacturer	VALUE
Product group	Cable
Product type	USB-C-Display cable
Colour	black
Length	1.5 m
Scope of delivery	Extension Cable
Transfer quality	DisplayPort v1.2
Max. resolution	3840 x 2160 @60Hz (4K, UHD-1)
Side 1 Connector Type	USB Type C (USB-C)
Side 1 Connector Gender	Male
Side 2 Connector Type	USB Type C (USB-C)
Side 2 Connector Gender	Female
Colour (Cable)	black
Area of application	External
Cable shielding	Screened
Operating temperature min.	0 °C
Operating temperature max.	45 °C
Storage temperature min.	-20 °C

Storage temperature max.	70 °C
Weight	62 g
Height of packaging (single piece)	10 mm
Width of packaging (single piece)	90 mm
Depth of packaging (single piece)	90 mm
Package weight (single piece)	0.035 kg