

# VALUE Dockingstation Type C, HDMI 4K60, 1x USB3.2Gen1 C + 3x A USB3.2 Gen1, 1x Type C PD, 1x SD/TF, 1x RJ45, 1x 3.5mm Audio

**Product No.** 12.99.1138  
**Manufacturer** VALUE  
**Manufacturer No.** 12.99.1138  
**EAN (single piece)** 7630049628427



**Connect your MacBook, Ultrabook, notebook/laptop via USB type C to a local network as well as to permanently installed devices - an HDMI monitor with up to 4K60Hz, for example - and via the various USB ports to a keyboard or external hard drives, for example, while simultaneously charging your device via the USB type C PD port. You can also read SD or TF cards.**

- USB Type C Dockingstation for MacBook, Ultrabook, Notebook/Laptop or PC
- Connect your device with USB Type C port to any HDMI display or projector
- This adapter allows you to mirror or extend your display to your HDMI-enabled TV or display
- Detachable USB Type c cable
- Maximum resolution: 3840x2160 @60Hz
- Portable design
- No power adapter required
- USB Type C PD: Power Delivery Function for charging of devices via the additional Type C connection
- Connectors: HDMI Female and Type C Male; additionally, 1x USB3.2Gen1 C + 3x A USB3.2 Gen1, 1x Type C PD, 1x RJ45, 1x 3.5mm Audio
- 1x SD/TF Card Reader
- Cable length: ca. 10 cm

**Remark: Support of "Alternate Mode (DP Alt Mode)" required**

Note: According to the current specifications of USB.org we have adapted the technical data of our USB 3 products. The new designation for the already known USB specifications has been changed to USB 3.2 Gen 1 (formerly USB 3.0 / USB 3.1 Gen 1) and USB 3.2 Gen 2 (formerly USB 3.1 / USB 3.1 Gen 2).

Technical specifications	
Manufacturer	VALUE
Product group	Adapters, Terminators, Converters
Product type	Notebook-Docking-Station
Colour	black / gray
Length	0.1 m
Max. resolution	3840 x 2160 @60Hz (4K, UHD-1)
Side 1 connection (PC)	USB Type C
Side 2 connection (Peripherals)	1x HDMI, 1x USB3.2Gen1 C + 3x A USB3.2 Gen1, 1x Typ C PD, 1x SD/TF, 1x RJ45, 1x 3.5mm Audio
Side 1 Connector Type	USB Type C (USB-C)
Side 1 Connector Gender	Male
Side 2 Connector Type	HDMI Type A USB 3 Type A USB Type C (USB-C) USB Type C PD (Power Delivery) SD-Card-Slot TF-Card-Slot RJ-45 Mini Phone Stereo 3.5 mm, 3-pin
Side 2 Connector Gender	Female
Area of application	External
Technical particularity	Power Delivery Function
Height	14 mm
Width	60 mm
Depth	142 mm
Weight	118 g

Height of packaging (single piece)	20 mm
Width of packaging (single piece)	50 mm
Depth of packaging (single piece)	150 mm
Package weight (single piece)	0.15 kg