


# VALUE KVM Switch "Star" 1 User - 2 PCs, VGA, USB

<b>Product No.</b>	14.99.3261
<b>Manufacturer</b>	VALUE
<b>Manufacturer No.</b>	14.99.3261
<b>EAN (single piece)</b>	7611990176465



- Two PCs can be handled with one monitor, one keyboard and one mouse
- Console side Connector: 1x HD15 F, 2x USB Type A
- Switching can be done by several ways:
  - Hot keys (keyboard combination)
  - Manual switching with direct-access port selectors on top of the switch
- Max. resolution: 1920 x 1200 @ 75Hz
- LEDs for easy status monitoring
- USB bus powered
- No firmware or drivers required for Windows
  
- Contents: Switch with two integrated KVM cables (each 1.15 m), HD15 M, USB Type B

## Technical specifications

Manufacturer	VALUE
Product group	KVM switches / PC shares
Product type	KVM-Switch, VGA
Colour	black
Scope of delivery	Switch with 2/3 integrated KVM cables (each 1.2 m), Manual
Interface	VGA
Inputs	2
Outputs	1
Max. distance	1.2 m

Quantity of PCs	2
Supported PC-Systems	USB
PC: monitor connection	2x HD 15pin M
PC: mouse/keyboard connection	2x USB Type A M
Quantity of analogue consoles	1
Analogue Console: Monitor connection	1x HD 15pin F
Analogue Console: Mouse/Keyboard connection	2x USB Type A F
Integrated console	no
Switching over Scan Run	yes
Print button on device	yes
Switching over Hot Keys	Keyboard
Switching over OSD	no
Integrated Hub	no
Keyboard/mouse emulation	no
19" compatible	no
Cascadable	no
Hot plug compatible	no
Max. resolution (nominal)	1280 x 1024
Colour (Design profile)	black / purple
Material (casing)	Plastic
Power supply unit required	no
Technical particularity	LED display for easy status monitoring
Operating temperature min.	0 °C

---

Operating temperature    40 °C  
max.

Weight                      302.4 g