


# VALUE UTP Patch Cord Cat.6A (Class EA), blue, 0.3 m

Product No.	21.99.1454
Manufacturer	VALUE
Manufacturer No.	21.99.1454
EAN (single piece)	7630049612334



**The affordable solution for Category 6A cabling for data rates up to 10Gbit / s. Twisted pair connection cable with RJ-45 connectors plugged in on both sides**

- Suitable as a patch cord in patch panels or as a device connection cable
- Durable with molded kink protection
- Contact assignment 1: 1 according to EIA / TIA 568, 8 cores
- Construction: 8 cores wire
- Impedance: 100 ohms

**For a structured shielded Cat.6a cabling system we recommend to use the following components:**

- VALUE Cat.6a UTP Cable, Solid Wire, 300 m: 21.99.1681
- Flush Mount Wall Jack for Keystones: 25.16.8579
- Surface Wall Mount Frame: 25.16.8484
- VALUE Cat.6a Keystone, RJ-45, shielded: 26.99.0366
- 19" Keystone Patch Panel: 26.11.0358 / 26.11.0359
- VALUE Cat.6a S/FTP Patch Cord, 5 m: 21.99.0875

Technical specifications	
Manufacturer	VALUE

Product group	Twisted Pair Cable
Product type	UTP Patch Cables
Colour	blue
Length	0.3 m
Shield type	UTP
Transfer quality	Cat6A / Class EA
Quantity of wires	8
Conductor cross section (AWG)	AWG 24
Conductor type	Stranded
Crossed	no
Assignment	1:1
Locking lever	yes
Anti-kink sleeve	Moulded-on
Colour (Spout)	blue
Cable LSOH	no
Side 1 Connector Type	RJ-45
Side 1 Connector Gender	Male
Side 2 Connector Type	RJ-45
Side 2 Connector Gender	Male
Connector Type RJ45	Standard
Operating temperature min.	-20 °C
Operating temperature max.	60 °C
Weight	16 g
Height of packaging (single piece)	20 mm
Width of packaging (single piece)	130 mm

Depth of packaging (single piece)	140 mm
--------------------------------------	--------

Package weight (single piece)	0.028 kg
----------------------------------	----------