

# VALUE 19" Wall Cabinet 15U , 600x600mm, black

|                           |               |
|---------------------------|---------------|
| <b>Product No.</b>        | 26.99.0831    |
| <b>Manufacturer</b>       | VALUE         |
| <b>Manufacturer No.</b>   | 26.99.0831    |
| <b>EAN (single piece)</b> | 7630049603349 |



**VALUE wall-mounted enclosures are designed for flexible network cabling and feature punched cable inlets in the bottom and top as well as fan preparation. The robust steel construction is powder-coated and equipped with removable side panels with quick-release fasteners. Optional locks can be integrated for added security. The cabinet is delivered as a kit and can be assembled quickly and easily.**

The VALUE wall-mounted enclosures have been specially developed for flexible network cabling. Both the base plate and the roof are equipped with punched cable inlets. In addition, there is a punched area in the roof to accommodate a fan module.

Inside, there are two pairs of galvanised profile rails with a height of 483 mm (19"), which are also adjustable in depth. The robust steel construction is made of high-quality sheet steel and is available in black (RAL 9005) powder coating.

The side panels are equipped with a quick-release fastener and are removable, which significantly facilitates accessibility during operation. Locks can be integrated into the side panels as an option. Wall mounting is carried out in two simple steps: first, the rear panel is attached to the wall, then the enclosure is mounted. Leveling feet or casters can be attached as an option to allow the enclosure to be used as a free-standing unit.

- Load capacity: 80 kg
- Front door made of tempered glass, lockable
- Side panels are equipped with quick-release fasteners and are removable
- Roof with cut-out for fan modules
- Cable entry possible at roof and floor
- Ventilation slots for passive ventilation
- Includes mounting hardware
- Protection class: IP20

- Delivery: flatpack

| Technical specifications     |                                                                                        |
|------------------------------|----------------------------------------------------------------------------------------|
| Manufacturer                 | VALUE                                                                                  |
| Product group                | 19"/-10"-Cabinet                                                                       |
| Product type                 | 19"-wall housing                                                                       |
| Colour                       | black                                                                                  |
| Scope of delivery            | VALUE wall housing (flatpack), grounding cable set, 2x keys, installation instructions |
| Type of profile rail         | L-shaped                                                                               |
| Modular spacing              | 482.6 mm (19 inch)                                                                     |
| Height units                 | 15 U                                                                                   |
| Minimum rack depth supported | 320 mm                                                                                 |
| Maximum rack depth supported | 450 mm                                                                                 |
| Delivery condition           | Flatpack, disassembled                                                                 |
| Demountable                  | yes                                                                                    |
| Material group               | Steel                                                                                  |
| Material front door          | Glass                                                                                  |
| Wall mountable               | yes                                                                                    |
| Adjustable feets             | no                                                                                     |
| Maximum weight capacity      | 80 kg                                                                                  |
| Protection class (IP Code)   | IP20                                                                                   |
| Number of doors              | 1                                                                                      |
| With front door              | yes                                                                                    |
| With backside door           | no                                                                                     |
| With glazed door             | yes                                                                                    |
| Front                        | Glass door                                                                             |
| Rack rails                   | yes                                                                                    |

|                                       |                    |
|---------------------------------------|--------------------|
| 19" level                             | Ahead and behind   |
| Side panels included                  | yes                |
| Removeable side panels                | yes                |
| Removable front door                  | yes                |
| Removable back door                   | no                 |
| Ventilation                           | Passive            |
| Fan ready                             | yes                |
| RAL colour                            | RAL 9005 Jet black |
| Height                                | 779 mm             |
| Width                                 | 600 mm             |
| Depth                                 | 600 mm             |
| Weight                                | 22 kg              |
| Height of packaging<br>(single piece) | 220 mm             |
| Width of packaging<br>(single piece)  | 630 mm             |
| Depth of packaging<br>(single piece)  | 790 mm             |
| Package weight (single<br>piece)      | 24 kg              |