


# ROLINE GREEN U/FTP DataCenter Patch Cord Cat.6A (Class EA), LSOH, slim, blue, 5 m

|                    |               |   |
|--------------------|---------------|---|
| Product No.        | 21.44.3347    |  |
| Manufacturer       | ROLINE GREEN  |   |
| Manufacturer No.   | 21.44.3347    |   |
| EAN (single piece) | 7630049624634 |   |











**Category 6a twisted-pair patch cable with shielded RJ-45 connectors on both sides. Particularly thin and flexible cable with individual pairs of wires in aluminium-laminated foil for use in confined spaces, such as in data centres.**

- Durable thanks to moulded-on kink protection
- Suitable as patch cable in patch panels or as device connection cable and intended for use in the LAN
- Contact assignment: 1:1 according to EIA/TIA568, 8 cores
- Structure: 8 cores stranded wire, pairs shielded with alu-laminated foil

**ROLINE GREEN products are marked only with a paper tag and build with halogen-free TPE material, without plastic bags and without plastic cable straps for use in eco-friendly environments.**

| Technical specifications |                    |
|--------------------------|--------------------|
| Manufacturer             | ROLINE GREEN       |
| Product group            | Twisted Pair Cable |
| Product type             | FTP Patch Cord     |

|                                  |   |
|----------------------------------|---|
| Colour                           | blue  |
| Length                           | 5 m   |
| Scope of delivery                | Cable without plastic bag, only marked with a paper label |
| Shield type                      | FTP   |
| Transfer quality                 | Cat6A / Class EA  |
| Quantity of wires                | 8   |
| Conductor cross section (AWG)    | AWG 32  |
| Conductor type                   | Stranded  |
| Crossed                          | no  |
| Slim cable                       | yes   |
| Locking lever                    | yes   |
| Anti-kink sleeve                 | Moulded-on  |
| Colour (Spout)                   | blue  |
| Cable LSOH                       | yes   |
| Material (external cable mantle) | LSOH-TPE  |
| Side 1 Connector Type            | RJ-45   |
| Side 1 Connector Gender          | Male  |
| Side 2 Connector Type            | RJ-45   |
| Side 2 Connector Gender          | Male  |
| Connector Type RJ45              | Standard  |
| Operating temperature min.       | -10 °C  |
| Operating temperature max.       | 60 °C   |
| Storage temperature min.         | -20 °C  |
| Storage temperature max.         | 75 °C   |

|                                       |          |
|---------------------------------------|----------|
| Weight                                | 73.6 g   |
| Height of packaging<br>(single piece) | 30 mm    |
| Width of packaging<br>(single piece)  | 100 mm   |
| Depth of packaging<br>(single piece)  | 100 mm   |
| Package weight (single<br>piece)      | 0.089 kg |