
## ROLINE GREEN UTP Data Center Patch Cord Cat.6A (Class EA), LSOH, Slim, yellow, 5 m

Product No. 21.44.3927 roling green ROLINE GREEN

Manufacturer No. 21.44.3927

**EAN (single piece)** 7630049623965















Category 6A twisted-pair patch cable with RJ-45 connectors on both sides. Particularly thin and flexible cable with individual pairs of wires for use in confined spaces, such as in data centres.

- Durable thanks to moulded-on kink protection
- Suitable as patch cable in patch panels or as device connection cable and intended for use in the LAN
- Contact assignment: 1:1 according to EIA/TIA568, 8 cores
- Structure: 8 cores stranded wire

ROLINE GREEN products are marked only with a paper tag and build with halogenfree TPE material, without plastic bags and without plastic cable straps for use in eco-friendly environments.

| Technical specifications |                    |  |
|--------------------------|--------------------|--|
| Manufacturer             | ROLINE GREEN       |  |
| Product group            | Twisted Pair Cable |  |
| Product type             | UTP Patch Cables   |  |

| Colour                           | yellow                                                    |
|----------------------------------|-----------------------------------------------------------|
| Length                           | 5 m                                                       |
| Scope of delivery                | Cable without plastic bag, only marked with a paper label |
| Shield type                      | UTP                                                       |
| Transfer quality                 | Cat6A / Class EA                                          |
| Quantity of wires                | 8                                                         |
| Conductor cross section (AWG)    | AWG 32                                                    |
| Conductor type                   | Stranded                                                  |
| Crossed                          | no                                                        |
| Slim cable                       | yes                                                       |
| Locking lever                    | yes                                                       |
| Anti-kink sleeve                 | Moulded-on                                                |
| Colour (Spout)                   | yellow                                                    |
| Cable LSOH                       | yes                                                       |
| Material (external cable mantle) | LSOH-TPE                                                  |
| Side 1 Connector Type            | RJ-45                                                     |
| Side 1 Connector<br>Gender       | Male                                                      |
| Side 2 Connector Type            | RJ-45                                                     |
| Side 2 Connector<br>Gender       | Male                                                      |
| Connector Type RJ45              | Standard                                                  |
| Operating temperature min.       | -10 °C                                                    |
| Operating temperature max.       | 60 °C                                                     |
| Storage temperature min.         | -20 °C                                                    |
| Storage temperature max.         | 75 °C                                                     |
| max.                             |                                                           |

| Weight                             | 67.6 g  |
|------------------------------------|---------|
| Height of packaging (single piece) | 20 mm   |
| Width of packaging (single piece)  | 100 mm  |
| Depth of packaging (single piece)  | 100 mm  |
| Package weight (single piece)      | 0.07 kg |