
ROLINE GREEN UTP Data Center Patch Cord Cat.6A (Class EA), LSOH, Slim, green, 2 m

Product No.21.44.3935ManufacturerROLINE GREENManufacturer No.21.44.3935

7630049624023



EAN (single piece)













Category 6A twisted-pair patch cable with RJ-45 connectors on both sides. Particularly thin and flexible cable with individual pairs of wires for use in confined spaces, such as in data centres.

- Durable thanks to moulded-on kink protection
- Suitable as patch cable in patch panels or as device connection cable and intended for use in the LAN
- Contact assignment: 1:1 according to EIA/TIA568, 8 cores
- Structure: 8 cores stranded wire

ROLINE GREEN products are marked only with a paper tag and build with halogenfree TPE material, without plastic bags and without plastic cable straps for use in eco-friendly environments.

Technical specifications		
Manufacturer	ROLINE GREEN	
Product group	Twisted Pair Cable	
Product type	UTP Patch Cables	

Length Scope of delivery Shield type Transfer quality	green 2 m Cable without plastic bag, only marked with a paper label UTP Cat6A / Class EA
Scope of delivery Shield type Transfer quality	Cable without plastic bag, only marked with a paper label UTP
Shield type Transfer quality	UTP
Transfer quality	
	Cat6A / Class EA
Ouantity of wires	
,	8
Conductor cross section (AWG)	AWG 32
Conductor type	Stranded
Crossed	no
Slim cable	yes
Locking lever	yes
Anti-kink sleeve	Moulded-on
Colour (Spout)	green
Cable LSOH	yes
Material (external cable mantle)	LSOH-TPE
Side 1 Connector Type	RJ-45
Side 1 Connector Gender	Male
Side 2 Connector Type	RJ-45
Side 2 Connector Gender	Male
Connector Type RJ45	Standard
Operating temperature min.	-10 °C
Operating temperature max.	60 °C
Storage temperature min.	-20 °C
Storage temperature max.	75 °C

Weight	30.1 g
Height of packaging (single piece)	20 mm
Width of packaging (single piece)	100 mm
Depth of packaging (single piece)	100 mm
Package weight (single piece)	0.03 kg