## ROLINE GREEN U/FTP DataCenter Patch Cord Cat.6A (Class EA), LSOH, slim, blue, 0.3 m


Product No. 21.44.3341

Manufacturer ROLINE GREEN

Manufacturer No. 21.44.3341

**EAN (single piece)** 7630049624573















Category 6a twisted-pair patch cable with shielded RJ-45 connectors on both sides. Particularly thin and flexible cable with individual pairs of wires in aluminium-laminated foil for use in confined spaces, such as in data centres.

- Durable thanks to moulded-on kink protection
- Suitable as patch cable in patch panels or as device connection cable and intended for use in the LAN
- Contact assignment: 1:1 according to EIA/TIA568, 8 cores
- Structure: 8 cores stranded wire, pairs shielded with alu-laminated foil

ROLINE GREEN products are marked only with a paper tag and build with halogenfree TPE material, without plastic bags and without plastic cable straps for use in eco-friendly environments.

| Technical specifications |                    |  |
|--------------------------|--------------------|--|
| Manufacturer             | ROLINE GREEN       |  |
| Product group            | Twisted Pair Cable |  |
| Product type             | FTP Patch Cord     |  |

| Colour                             | blue  |
|------------------------------------|---|
| Length                             | 0.3 m   |
| Scope of delivery                  | Cable without plastic bag, only marked with a paper label |
| Shield type                        | FTP   |
| Transfer quality                   | Cat6A / Class EA  |
| Quantity of wires                  | 8   |
| Conductor type                     | Wire  |
| Crossed                            | no  |
| Slim cable                         | yes   |
| Colour (Spout)                     | blue  |
| Cable LSOH                         | yes   |
| Material (external cable mantle)   | LSOH-TPE  |
| Side 1 Connector Type              | RJ-45   |
| Side 1 Connector<br>Gender         | Male  |
| Side 2 Connector Type              | RJ-45   |
| Side 2 Connector<br>Gender         | Male  |
| Connector Type RJ45                | Standard  |
| Operating temperature min.         | -10 °C  |
| Operating temperature max.         | 60 °C   |
| Weight                             | 11.9 g  |
| Height of packaging (single piece) | 20 mm   |
| Width of packaging (single piece)  | 50 mm   |
| Depth of packaging (single piece)  | 50 mm   |
|                                    |   |

Package weight (single 0.01 kg piece)